Trencher Replacement Parts

Ditch Witch®
C12, C14, C16, C12X,
C16X, C24X, C30X



American Made. American Strong.™ www.ballantineinc.com

Faster Service Better Quality Lower Prices

Replacement Parts for Ditch Witch® Trenchers

Ditch Witch® is a registered trade mark of Charles Machine Works Company.

All manufacturers' names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any parts listed are the products of the manufacturers.

Main Office 840 McKinley Street Anoka, Minnesota 55303

Branch Office 675 Wesleyan Drive South West Atlanta, Georgia 30336 Branch Office 2209 S. Lilac Ave. Rialto, California 92316

Call Toll Free To Inside Sales 1/800/328/2424 FAX 1-763-427-2277

Email: parts@ballantineinc.com www.ballantineinc.com



| Bare Chain 1.654" Pitch Every 4th Pitch | | |
|--|-----------|-----------------------|
| Ballantine Part No. | Dig Depth | Description |
| B1370400B13 | 24" | Bare Chain 13 Station |
| B1370400B15 | 30" | Bare Chain 15 Station |
| B1370400B17 | 36" | Bare Chain 17 Station |
| B1370400B21 | 48" | Bare Chain 21 Station |
| Additional Cutting Widths Available Upon request | | |



| Bare Chain 1.654" Pitch Anti-Back Flex | | |
|--|-----------|-----------------------|
| Ballantine Part No. | Dig Depth | Description |
| B1370200B26 | 24" | Bare Chain 26 Station |
| B1370200B31 | 30" | Bare Chain 31 Station |
| B1370200B34 | 36" | Bare Chain 34 Station |
| B1370200B42 | 48" | Bare Chain 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Bare Chain 1.654" Pitch Heavy Duty Anti-Back Flex | | |
|---|-----------|-----------------------|
| Ballantine Part No. | Dig Depth | Description |
| TA1654HD00B26 | 24" | Bare Chain 26 Station |
| TA1654HD00B31 | 30" | Bare Chain 31 Station |
| TA1654HD00B34 | 36" | Bare Chain 34 Station |
| TA1654HD00B42 | 48" | Bare Chain 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Cup Cutter Assemblies 1.654" Pitch Every 4th Pitch | | |
|--|-----------|---------------------------------------|
| Ballantine Part No. | Dig Depth | Description |
| D137044C13 | 24" | Cup Cutter Assembly 4" Cut 13 Station |
| D137044C15 | 30" | Cup Cutter Assembly 4" Cut 15 Station |
| D137044C17 | 36" | Cup Cutter Assembly 4" Cut 17 Station |
| D137044C21 | 48" | Cup Cutter Assembly 4" Cut 21 Station |
| D137064C13 | 24" | Cup Cutter Assembly 6" Cut 13 Station |
| D137064C15 | 30" | Cup Cutter Assembly 6" Cut 15 Station |
| D137064C17 | 36" | Cup Cutter Assembly 6" Cut 17 Station |
| D137064C21 | 48" | Cup Cutter Assembly 6" Cut 21 Station |
| Additional Cutting Widths Available Upon request | | |



| Anti Back Flex Cup Cutter Assemblies 1.654" Pitch Every 2nd Pitch | | |
|---|-----------|---------------------------------------|
| Ballantine Part No. | Dig Depth | Description |
| D137042C26 | 24" | Cup Cutter Assembly 4" Cut 26 Station |
| D137042C31 | 30" | Cup Cutter Assembly 4" Cut 31 Station |
| D137042C34 | 36" | Cup Cutter Assembly 4" Cut 34 Station |
| D137042C42 | 48" | Cup Cutter Assembly 4" Cut 42 Station |
| D137062C26 | 24" | Cup Cutter Assembly 6" Cut 26 Station |
| D137062C31 | 30" | Cup Cutter Assembly 6" Cut 31 Station |
| D137062C34 | 36" | Cup Cutter Assembly 6" Cut 34 Station |
| D137062C42 | 48" | Cup Cutter Assembly 6" Cut 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Heavy Duty Ant | Heavy Duty Anti Back Flex Cup Cutter Assemblies 1.654" Pitch Every 2nd Pitch | | |
|---------------------|--|---------------------------------------|--|
| Ballantine Part No. | Dig Depth | Description | |
| D1654HD042C26 | 24" | Cup Cutter Assembly 4" Cut 26 Station | |
| D1654HD042C31 | 30" | Cup Cutter Assembly 4" Cut 31 Station | |
| D1654HD042C34 | 36" | Cup Cutter Assembly 4" Cut 34 Station | |
| D1654HD042C42 | 48" | Cup Cutter Assembly 4" Cut 42 Station | |
| D1654HD062C26 | 24" | Cup Cutter Assembly 6" Cut 26 Station | |
| D1654HD062C31 | 30" | Cup Cutter Assembly 6" Cut 31 Station | |
| D1654HD062C34 | 36" | Cup Cutter Assembly 6" Cut 34 Station | |
| D1654HD062C42 | 48" | Cup Cutter Assembly 6" Cut 42 Station | |
| , | Additional Cutting Widths Available Upon request | | |



| Anti Back Flex | Anti Back Flex Terminator & Cup Combination Assemblies, 1.654" Every 2nd Pitch | | |
|---------------------|--|---|--|
| Ballantine Part No. | Dig Depth | Description | |
| T137042M26 | 24" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 26 Station | |
| T137042M31 | 30" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 31 Station | |
| T137042M34 | 36" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 34 Station | |
| T137042M42 | 48" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 42 Station | |
| T137062M26 | 24" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 26 Station | |
| T137062M31 | 30" | 1/2 Terminator & 1/2 Cup Assmebly 6" Cut 31 Station | |
| T137062M34 | 36" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 34 Station | |
| T137062M42 | 48" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 42 Station | |
| | Additional Cutting Widths Available Upon request | | |



| Heavy Duty Anti Back Flex Terminator & Cup Combination Assemblies, 1.654" Every 2nd Pitch | | |
|---|-----------|---|
| Ballantine Part No. | Dig Depth | Description |
| T1654HD042M26 | 24" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 26 Station |
| T1654HD042M31 | 30" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 31 Station |
| T1654HD042M34 | 36" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 34 Station |
| T1654HD042M42 | 48" | 1/2 Terminator & 1/2 Cup Assembly 4" Cut 42 Station |
| T1654HD062M26 | 24" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 26 Station |
| T1654HD062M31 | 30" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 31 Station |
| T1654HD062M34 | 36" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 34 Station |
| T1654HD062M42 | 48" | 1/2 Terminator & 1/2 Cup Assembly 6" Cut 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Anti Back Flex Bolt On Terminator Assemblies, 1.654" Every 2nd Pitch | | |
|--|-----------|---|
| Ballantine Part No. | Dig Depth | Description |
| T13704226 | 24" | Terminator Bolt On Assembly 4" Cut 26 Station |
| T13704231 | 30" | Terminator Bolt On Assembly 4" Cut 31 Station |
| T13704234 | 36" | Terminator Bolt On Assembly 4" Cut 34 Station |
| T13704242 | 48" | Terminator Bolt On Assembly 4" Cut 42 Station |
| T13706226 | 24" | Terminator Bolt On Assembly 6" Cut 26 Station |
| T13706231 | 30" | Terminator Bolt On Assembly 6" Cut 31 Station |
| T13706234 | 36" | Terminator Bolt On Assembly 6" Cut 34 Station |
| T13706242 | 48" | Terminator Bolt On Assembly 6" Cut 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Heavy Duty Anti Back Flex Bolt On Terminator Assemblies, 1.654" Every 2nd Pitch | | |
|---|-----------|---|
| Ballantine Part No. | Dig Depth | Description |
| T1654HD042T26 | 24" | Terminator Bolt On Assembly 4" Cut 26 Station |
| T1654HD042T31 | 30" | Terminator Bolt On Assembly 4" Cut 31 Station |
| T1654HD042T34 | 36" | Terminator Bolt On Assembly 4" Cut 34 Station |
| T1654HD042T42 | 48" | Terminator Bolt On Assembly 4" Cut 42 Station |
| T1654HD062T26 | 24" | Terminator Bolt On Assembly 6" Cut 26 Station |
| T1654HD062T31 | 30" | Terminator Bolt On Assembly 6" Cut 31 Station |
| T1654HD062T34 | 36" | Terminator Bolt On Assembly 6" Cut 34 Station |
| T1654HD062T42 | 48" | Terminator Bolt On Assembly 6" Cut 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Heavy Duty Anti Back Flex Terminator Assemblies, 1.654" Every 2nd Pitch | | |
|---|-----------|---|
| Ballantine Part No. | Dig Depth | Description |
| SH165404S26 | 24" | Terminator Weld On Assembly 4" Cut 26 Station |
| SH165404S31 | 30" | Terminator Weld On Assembly 4" Cut 31 Station |
| SH165404S34 | 36" | Terminator Weld On Assembly 4" Cut 34 Station |
| SH165404S42 | 48" | Terminator Weld On Assembly 4" Cut 42 Station |
| SH165406S26 | 24" | Terminator Weld On Assembly 6" Cut 26 Station |
| SH165406S31 | 30" | Terminator Weld On Assembly 6" Cut 31 Station |
| SH165406S34 | 36" | Terminator Weld On Assembly 6" Cut 34 Station |
| SH165406S42 | 48" | Terminator Weld On Assembly 6" Cut 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Heavy Duty Anti Back Flex Alligator Assemblies, 1.654" Every 2nd Pitch | | |
|--|-----------|--------------------------------------|
| Ballantine Part No. | Dig Depth | Description |
| AL16540426 | 24" | Alligator Assembly 4" Cut 26 Station |
| AL16540431 | 30" | Alligator Assembly 4" Cut 31 Station |
| AL16540434 | 36" | Alligator Assembly 4" Cut 34 Station |
| AL16540442 | 48" | Alligator Assembly 4" Cut 42 Station |
| AL16540626 | 24" | Alligator Assembly 6" Cut 26 Station |
| AL16540631 | 30" | Alligator Assembly 6" Cut 31 Station |
| AL16540634 | 36" | Alligator Assembly 6" Cut 34 Station |
| AL16540642 | 48" | Alligator Assembly 6" Cut 42 Station |
| Additional Cutting Widths Available Upon request | | |



| Anti Back Fle | Anti Back Flex Rock & Cup Combination Assemblies, 1.654" Every 2nd Pitch | | |
|---------------------|--|--|--|
| Ballantine Part No. | Dig Depth | Description | |
| D137042M26 | 24" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 26 Station | |
| D137042M31 | 30" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 31 Station | |
| D137042M34 | 36" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 34 Station | |
| D137042M42 | 48" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 42 Station | |
| D137062M26 | 24" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 26 Station | |
| D137062M31 | 30" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 31 Station | |
| D137062M34 | 36" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 34 Station | |
| D137062M42 | 48" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 42 Station | |
| | Additional Cutting Widths Available Upon request | | |



| Heavy Duty Anti Ba | Heavy Duty Anti Back Flex Rock & Cup Combination Assemblies, 1.654" Every 2nd Pitch | | |
|---------------------|---|--|--|
| Ballantine Part No. | Dig Depth | Description | |
| TA1654HD042M26 | 24" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 26 Station | |
| TA1654HD042M31 | 30" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 31 Station | |
| TA1654HD042M34 | 36" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 34 Station | |
| TA1654HD042M42 | 48" | 1/2 Carbide & 1/2 Cup Assembly 4" Cut 42 Station | |
| TA1654HD062M26 | 24" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 26 Station | |
| TA1654HD062M31 | 30" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 31 Station | |
| TA1654HD062M34 | 36" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 34 Station | |
| TA1654HD062M42 | 48" | 1/2 Carbide & 1/2 Cup Assembly 6" Cut 42 Station | |
| | Additional Cutting Widths Available Upon request | | |



| Anti Ba | Anti Back Flex Rock & Frost Assemblies, 1.654" Every 2nd Pitch | | | |
|---------------------|--|---|--|--|
| Ballantine Part No. | Dig Depth | Description | | |
| B137042R26 | 24" | Rock & Frost Assembly 4" Cut 26 Station | | |
| B137042R31 | 30" | Rock & Frost Assembly 4" Cut 31 Station | | |
| B137042R34 | 36" | Rock & Frost Assembly 4" Cut 34 Station | | |
| B137042R42 | 48" | Rock & Frost Assembly 4" Cut 42 Station | | |
| B137062R26 | 24" | Rock & Frost Assembly 6" Cut 26 Station | | |
| B137062R31 | 30" | Rock & Frost Assembly 6" Cut 31 Station | | |
| B137062R34 | 36" | Rock & Frost Assembly 6" Cut 34 Station | | |
| B137062R42 | 48" | Rock & Frost Assembly 6" Cut 42 Station | | |
| | Additional Cutting Widths Available Upon request | | | |



| Heavy Duty A | Heavy Duty Anti Back Flex Rock & Frost Assemblies, 1.654" Every 2nd Pitch | | |
|---------------------|---|---|--|
| Ballantine Part No. | Dig Depth | Description | |
| TA1654HD042R26 | 24" | Rock & Frost Assembly 4" Cut 26 Station | |
| TA1645HD042R31 | 30" | Rock & Frost Assembly 4" Cut 31 Station | |
| TA1654HD042R34 | 36" | Rock & Frost Assembly 4" Cut 34 Station | |
| TA1654HD042R42 | 48" | Rock & Frost Assembly 4" Cut 42 Station | |
| TA1654HD062R26 | 24" | Rock & Frost Assembly 6" Cut 26 Station | |
| TA1654HD062R31 | 30" | Rock & Frost Assembly 6" Cut 31 Station | |
| TA1654HD062R34 | 36" | Rock & Frost Assembly 6" Cut 34 Station | |
| TA1654HD062R42 | 48" | Rock & Frost Assembly 6" Cut 42 Station | |
| | Additional Cutting Widths Available Upon request | | |



| | Repair Sections | | | |
|---|---------------------|--------------|--|--|
| | Ballantine Part No. | OEM Part No. | Description | |
| | B137001 | N/A | Connecting Pin & Keeper | |
| | B135007 | N/A | Cotter Pin | |
| | B208454 | N/A | Heavy Duty Connecting Pin & Keeper | |
| , | B1370400B01 | N/A | Repair Section Every 4th | |
| | B1370200B01 | N/A | Repair Section Every 2nd | |
| | TA1654HD00B01 | N/A | Repair Section Heavy Duty Anti Back Flex | |



| Cup Cutter Teeth | | |
|---------------------|--------------|---|
| Ballantine Part No. | OEM Part No. | Description |
| B136024 | 136-024 | Cup Cutter Right Hand 2 Round & 1 Slotted Hole for Standard Chain Assemblies |
| B136025 | 136-025 | Cup Cutter Left Hand 2 Round Holes & 1 Slotted Hole Standard Chain Assemblies |
| 6655759 | N/A | Cup Cutter Right Hand 3 Round Holes Combination Chain Assemblies |
| 6655760 | N/A | Cup Cutter Left Hand 3 Round Holes Combination Chain Assemblies |



| Terminator Teeth | | | | |
|---------------------------------|---------|---------------------------------|--|--|
| Ballantine Part No. Description | | | | |
| T165404R | 135-637 | Terminator Adapter Right Hand | | |
| T165404L | 135-638 | Terminator Adapter Left Hand | | |
| T165404C | 135-639 | Terminator Adapter Straight Cut | | |



| Rock & Frost Adapters | | | |
|-----------------------|--------------|-----------------------------------|--|
| Ballantine Part No. | OEM Part No. | Description | |
| B135318 | 136-163 | Rock & Frost Adapter Right Hand | |
| B135317 | 136-165 | Rock & Frost Adapter Left Hand | |
| B135316 | 136-164 | Rock & Frost Adapter Straight Cut | |
| B17 | N/A | Carbide Bit with Clip | |
| B17D | N/A | Clip | |

7

Fax: 763-427-2277 www.ballantineinc.com



| Ground Breaker | | | |
|--|-----|-----------------------------|--|
| Ballantine Part No. OEM Part No. Description | | | |
| B940 | N/A | Ground Breaker - Left Hand | |
| B941 | N/A | Ground Breaker - Right Hand | |



| Adapters | | | |
|---------------------|--------------|-------------------|--|
| Ballantine Part No. | OEM Part No. | Description | |
| B136047 | N/A | Adapter - 8" Cut | |
| B136048 | N/A | Adapter - 10" Cut | |
| B136049 | N/A | Adapter - 12" Cut | |



| Spacers | | | |
|---------------------|--------------|---|--|
| Ballantine Part No. | OEM Part No. | Description | |
| B208355 | N/A | Flat Spacer - 5/16" Thick | |
| BL1654-5 | N/A | Flat Spacer - 1/2" thick | |
| BL1654-6 | N/A | Flat Spacer - 1" Thick | |
| B135320 | N/A | Tube Spacer - Outside Mounting | |
| B135319 | N/A | Tube Spacer - Rock & Frost - Mounted Inside | |
| 6576368 | N/A | Tube Spacer - Cup Cutter - Mounted Inside | |



| Bolts | | |
|--------------|--|--|
| OEM Part No. | Description | |
| N/A | Bolt 3/8" X 24 X 7/8" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 1 1/4" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 2 1/4" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 2 1/2" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 2 3/4" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 3" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 3 1/4" Grade 8 | |
| N/A | Bolt 3/8" X 24 X 3 1/2" Grade 8 | |
| N/A | Lock Nut 3/8" X 24 | |
| N/A | Flat Washer | |
| | N/A N/A N/A N/A N/A N/A N/A N/A | |



| Drive Sprocket | | | | |
|---------------------|--------------|-------------------------|--|--|
| Ballantine Part No. | OEM Part No. | Description | | |
| B3751164 | 375-1164 | 11 Tooth Drive Sprocket | | |



| Idler Sprockets & Components | | | |
|------------------------------|--------------|----------------------------------|--|
| Ballantine Part No. | OEM Part No. | Description | |
| B1401424 | 140-1424 | 13 Tooth Idler Sprocket Assembly | |
| B3751161 | 375-1161 | 13 Tooth Idler Sprocket Bear | |
| B1251125 | 125-1125 | Bearing | |
| B118021 | 118-021 | Shaft Snap Ring | |
| B115470 | 115-451 | Internal Snap Ring | |
| B3021838 | 302-1838 | Dust Cover | |



| Track Drive Sprocket | | | |
|----------------------|--------------|-------------------------------------|--|
| Ballantine Part No. | OEM Part No. | Description | |
| B3012112 | 301-2112 | 13 Tooth Split Track Drive Sprocket | |



www.ballantineinc.com

phone: 800-328-2424 • fax 763-427-2277 • parts@ballantineinc.com

®2016 U.S. Tsubaki Power Transmission, LLC. All Rights Reserved Printed in the U.S.A. 11/19